

E1 Outdoor SE PoE

4K 8MP pan-tilt PoE camera with 360° coverage, auto tracking, color night vision, person/vehicle/animal detection, and 3000K adjustable warm light.

- 4K 8MP Ultra HD
- 360° Coverage with Auto Tracking
- Color Night Vision



Specifications

Video & Audio	
Image Sensor	1/2.7" CMOS sensor
Resolution	3840x2160 (8 megapixels)@25fps
Lens	f=4mm, F1.6
Video Compression	H.265/H.264
Zoom	10X digital zoom
Field of View	Horizontal: 88° Vertical: 45°
Infrared Night Vision	Up to 12 meters(40ft); LED: 10pcs/1.4w/850nm (Auto-switching with IR-cut filter)
Color Night Vision	With spotlights: 4pcs/3.3w/3000K (Adjustable)
Frame Rate	Main stream: 2fps - 25fps (default: 25fps) Sub stream: 4fps - 15fps (default: 10fps)
Code Rate	Main stream: 2048Kbps - 8192Kbps (default: 6144Kbps) Sub stream: 64Kbps - 512Kbps (default: 256Kbps)

Audio	Two-way audio
Power	
PoE	IEEE 802.3af, 48V, active
DC Power	DC 12V 1A, <12W
Interface	
Power Port	DC power port
Ethernet Port	One 10M/100Mbps; RJ45
SD Card Slot	Supports Max. 512GB microSD card
Reset Button	YES
Audio In/Out	Built-in microphone and speaker
Pan & Tilt	
PT Angle(Max.)	Pan: 355°, Tilt: 50°
Preset Points	Supports 1 guard position & up to 64 preset positions
Auto Tracking	YES
Software	
Browsers Supported	Edge, Chrome, Firefox, Safari
OS Supported	PC: Windows, Mac OS; Smartphone: iOS, Android
Protocols & Standards	HTTPS, SSL, TCP/IP, UDP, HTTP, IPv4, UPnP, RTSP, RTMP, ONVIF, SMTP, NTP, DHCP, DNS, DDNS, FTP, P2P
User Access	Max. 20 users (1 admin & 19 users); Max. 12 simultaneous streams (2 main & 10 sub streams)
Other Features	
Smart Alarm	Motion detection; person detection; vehicle detection; animal detection
Recording Modes	Motion-triggered recording (default); scheduled recording; 24/7 recording
Time Lapse	YES
Smart Home Compatibility	Google Assistant
Working Environment	

Operating Temperature	-10°C~+50°C (14°F~126°F)
Operating Humidity	20% ~ 85%
Weatherproof	IP65
Mechanical	
Dimensions	Φ90x120mm
Weight	446g
Warranty	
Limited Warranty	2-year limited warranty. For support, visit https://support.reolink.com/hc/en-us/ .

Gallery & Specs



- 1. Bracket
- 2. Daylight sensor
- 3. 3000K warm light
- 4. Microphone
- 5. Lens
- 6. IR LEDs



- 1. Speaker
- 2. Heat dissipation holes
- 3. Reset hole
- 4. microSD card slot



1. Power port
2. Network port
3. Waterproof lid

www.reolink.com