

E1 Outdoor SE PoE

4K 8MP pan-tilt PoE camera with 360° coverage, auto tracking, color night vision, person/vehicle/animal detection, and 3000K adjustable warm light.

- 4K 8MP Ultra HD
- 360° Coverage with Auto Tracking
- Color Night Vision



Specifications

Video & Audio	
Image Sensor	1/2.7" CMOS sensor
Resolution	3840x2160 (8 megapixels)@25fps
Lens	f=4mm, F1.6
Video Compression	H.265/H.264
Zoom	10X digital zoom
Field of View	Horizontal: 88° Vertical: 45°
Infrared Night Vision	Up to 12 meters(40ft); LED: 10pcs/1.4w/850nm (Auto-switching with IR-cut filter)
Color Night Vision	With spotlights: 4pcs/3.3w/3000K (Adjustable)
Frame Rate	Main stream: 2fps - 25fps (default: 25fps) Sub stream: 4fps - 15fps (default: 10fps)

Code Rate	Main stream: 2048Kbps - 8192Kbps (default: 6144Kbps) Sub stream: 64Kbps - 512Kbps (default: 256Kbps)
Audio	Two-way audio
Power	
PoE	IEEE 802.3af, 48V, active
DC Power	DC 12V _{2.1A} , <12W
Interface	
Power Port	DC power port
Ethernet Port	One 10M/100Mbps; RJ45
SD Card Slot	Supports Max. 256GB microSD card
Reset Button	YES
Audio In/Out	Built-in microphone and speaker
Pan & Tilt	
PT Angle(Max.)	Pan: 355°, Tilt: 50°
Preset Points	Supports 1 guard position & up to 64 preset positions
Auto Tracking	YES
Software	
Browsers Supported	Edge, Chrome, Firefox, Safari
OS Supported	PC: Windows, Mac OS; Smartphone: iOS, Android
Protocols & Standards	HTTPS, SSL, TCP/IP, UDP, HTTP, IPv4, UPnP, RTSP, RTMP, ONVIF, SMTP, NTP, DHCP, DNS, DDNS, FTP, P2P
User Access	Max. 20 users (1 admin & 19 users); Max. 12 simultaneous streams (2 main & 10 sub streams)
Other Features	
Smart Alarm	Motion detection; person detection; vehicle detection; animal detection

Recording Modes	Motion-triggered recording (default); scheduled recording; 24/7 recording
Time Lapse	YES
Smart Home Compatibility	Google Assistant
Working Environment	
Operating Temperature	-10°C~+50°C (14°F~126°F)
Operating Humidity	20% ~ 85%
Weatherproof	IP65
Mechanical	
Dimensions	Φ90x120mm
Weight	446g
Warranty	
Limited Warranty	2-year limited warranty. For support, visit https://support.reolink.com/hc/en-us/ .


Gallery & Specs



1. Bracket
2. Daylight sensor
3. 3000K warm light
4. Microphone
5. Lens
6. IR LEDs



1. Speaker
2. Heat dissipation holes
3. Reset hole
4. microSD card slot



1. Power port
2. Network port
3. Waterproof lid