

Reolink TrackMix LTE

4G Dual-Lens Battery-Powered PTZ Security Camera with Continuous Recording



Non-Stop Power

Powered by a 66W solar panel and a high-capacity battery for endless energy.



Continuous Recording

Enjoy up to 2 days of continuous recording on a single charge.

4G

4G LTE Network

No Wi-Fi is needed. Goes anywhere with cellular connectivity.



Auto-Zoom Tracking

Automatically pans, tilts, and zooms to follow moving targets.



Dual-Lens Design

Features wide-angle and telephoto lenses for full-view and close-up images.



Dual View Display

View full scenes and detailed close-ups simultaneously on one screen.



Smart Detection

Intelligently detects people, vehicles, and animals for precise alerts.



Spotlight Night Vision

Experience vibrant, full-color night recordings in sharp 4K resolution.




Flexible Storage Options

Choose between a microSD card (up to 128GB) or utilizing the Reolink Cloud.



24/7 Monitoring, Never Stops

Stay powered with a large battery and high-efficiency solar panel for 48 hours of nonstop recording and year-round standby.



Auto-Track & Auto-Focus

Covers 355° pan and 90° tilt to automatically track and zoom in on moving objects, keeping every detail in view.




Dual View on One Screen

Experience both a wide overview and a clear closeup in real time on one screen.



4G Network, Go Anywhere

With 4G connectivity, monitor remote locations like farms or construction sites without Wi-Fi.



Two Night Vision Modes

Switch between color night vision with spotlight and infrared mode for ultra-low light conditions.

Gallery



One App/Client for All Control

Stay connected to your home or business anytime, anywhere.



Privacy in Your Hands

We've prioritized your privacy, ensuring your data stays exclusively yours.



Model	Reolink TrackMix LTE	
Video & Audio	Image Sensors	1/3" + 1/2.7" CMOS Sensor
	Video Resolution	Up to 3840 x 2160 (8.0 megapixels) at 15 frames/sec
	Lens	f=2.8mm@F=1.6, f=8mm@F=1.6
	Video Compression	H.264, H.265
	Field of View	Horizontal: 108.4°-38°; Vertical: 57.3°-21.2°
	Zoom Mode	6X hybrid zoom
	Day & Night	IR-cut filter with auto-switching
	Infrared Night Vision	Up to 30 meters (100ft)
	Color Night Vision	Spotlight: 1pcs/6500K/450 Lumens
	Audio	Two-way audio
Power	Battery	7.2V 5100mAh rechargeable battery, 36.72Wh (varies by settings & usage)
	Solar	Reolink Solar Panel 2
	DC Power	5V/2A
Interface	Power	USB Type-C port
	System	Reset button
	Storage	microSD card slot (max. 512GB)
	Audio	Built-in microphone and speaker
Pan & Tilt	Pan & Tilt	Pan: 355°, Tilt: 0°~90° (speed adjustable)
	Preset Points	32
	Auto Tracking	Support
3G/4G Bandwidth	Frequency Bands	EC25 EU
		LTE-FDD:B1/B3/B7/B8/B20/B28A
		WCDMA:B1/B8
		EC25 US
		LTE-FDD:B2/B4/B5/B12/B13/B14/B66/B71
		EC25 AU
		LTE-FDD:B1/B3/B5/B7/B8/B28
		WCDMA:B1/B5/B8
	Transmission Data	LTE FDD: Max 10Mbps(DL), Max 5Mbps(UL)
		LTE TDD: Max 8.96Mbps(DL), Max 3.1Mbps(UL) HSPA+: Max 42Mbps(DL), Max 5.76Mbps(UL); UMTS: Max 384Kbps(DL/UL)
Software Features	Frame Rate	Mainstream: 10fps - 15fps; Substream: 10fps - 15fps
	Code Rate	Mainstream: 1024Kbps - 4096Kbps; Substream: 64Kbps - 672Kbps
	PIR Detecting Angle	100° horizontal
	OS Supported	PC: Windows, macOS; Smartphone: iOS, Android
	Smart Alarm	PIR detection; person detection, vehicle detection, pet detection
	Record Mode	Motion-triggered recording
	Protocols & Standards	SSL, TCP/IP, UDP, UPNP, SMTP, NTP, P2P
	Maximum User Access	Up to 12 simultaneous video streams (10 substreams, 2 mainstreams)
	Work with	Google Assistant, Reolink Cloud
Working Environment	Operating Temperature	-10°C~+55°C (14°F~131°F)
	Operating Humidity	20% ~ 85%
	Weatherproof	IP65
Mechanical	Dimensions	228 x 147 x 129 mm
	Weight	1.4 kg
Warranty	Limited Warranty	2-year limited warranty. For support, visit https://support.reolink.com/hc/en-us/ .



- | | | |
|-------------|-------------------|--------------|
| 1 Spotlight | 2 Infrared LED | 3 Lens |
| 4 Mic | 5 Daylight Sensor | 6 PIR Sensor |



- | |
|---------------------|
| 1 microSD Card Slot |
|---------------------|

Best Companion



microSD Card



Reolink Solar Panel



USB-C Extension Cable
for Reolink Solar Panels



Terms and Privacy

Use of the product is subject to your agreement to the Terms of Service and Privacy Policy at reolink.com.

Limited Warranty

This product comes with a 2-year limited warranty. Learn more:
<https://reolink.com/warranty-and-return/>