

P320

5MP PoE IP Camera with Person/Vehicle Detection



Smart Person/Vehicle Alerts

Focus on true threats with accurate alerts, no subscription required.



Audio Recording

Built-in microphone for an extra layer of security.



Real-Time Motion Alerts

Receive instant alerts whenever unusual movement is detected.

HD

Exceptional 5MP Super HD

Boasts 2560x1920 resolution for crystal clear videos with fine details.



Time Lapse Feature

Use your camera to shoot time-lapse videos, perfect for tracking projects.



Flexible Recording Options

Supports 24/7 continuous, motion-triggered, and scheduled recording.



100ft Night Vision

With 18pcs infrared LEDs, see every detail clearly even in the dark.



Easy Installation & Control

Simplified PoE wiring for fast installation. Remote control via the Reolink App.



IP67 Certified Weatherproof

Rugged housing for outdoor use in any weather condition.



Smart Person/Vehicle Alerts

Distinguish between people and vehicles to reduce false alarms. Focus on true threats with accurate alerts.




Reveal 5MP Details, Day & Night

Exceptional clarity and detail, capturing every moment in stunning Super HD.



100ft Night Vision

Advanced IR technology ensures clear night-time footage up to 100ft. Crime has nowhere to hide.



Everything at Your Fingertips



Effortlessly monitor your property in real time, no matter where you are, with just a click on the Reolink App.



Bad Weather? Doesn't Matter


This IP67 certified weatherproof camera is designed to withstand harsh outdoor environments.

Gallery



One App/Client for All Control

Stay connected to your home or business anytime, anywhere.



Privacy in Your Hands

We've prioritized your privacy, ensuring your data stays exclusively yours.



Model	P320	
Video & Audio	Image Sensor	1/2.7" CMOS Sensor
	Video Resolution	2560x1920 (5.0 Megapixels) at 30 frames/sec
	Lens	f=4.0mm fixed; F=2.0, with IR-cut filter
	Video Format	H.264
	Field of View	Horizontal: 80° Vertical: 48°
	Day & Night	Auto-switching with IR-cut filter
	Night Vision	Up to 30 meters (100ft) (LED: 18pcs/14mil/850nm)
	Audio	Audio recording
Power	PoE	IEEE 802.3af, 48V Active
	DC Power	DC 12.0V=1A, <12W
Interface	Power	DC power port
	System	Reset button
	Ethernet	One 10M/100Mbps; RJ45
	Storage	microSD card slot (support up to 256GB)
	Audio	Built-in microphone
Software Features	Frame Rate	Mainstream: 2fps - 30fps (default: 30fps) Substream: 4fps - 15fps (default: 10fps)
	Code Rate	Mainstream: 1024Kbps - 8192Kbps (default: 6144Kbps) Substream: 64Kbps - 512Kbps (default: 256Kbps)
	Browser Supported	Edge, Chrome, Firefox, Safari
	OS Supported	PC: Windows, Mac OS; Smartphone: iOS, Android
	Smart Alarm	Person detection; vehicle detection; motion detection
	Record Mode	Motion-triggered recording (default); scheduled recording; 24/7 recording
	Protocol & Standard	HTTPS, SSL, TCP/IP, UDP, HTTP, IPv4, UPnP, RTSP, RTMP, SMTP, NTP, DHCP, DNS, DDNS, FTP, P2P
	Maximal User Access	20 users (1 admin account & 19 user accounts); support up to 12 simultaneous video streams (10 substreams & 2 mainstreams)
	Smart Home	Google Assistant
Working Environment	Temperature	Operating temperature: -10°C - +55°C (14°F - 131°F)
	Humidity	Operating humidity: 10% - 90%
	Waterproof	IP67
Size & Weight	Dimension	φ186*67mm
	Weight	415g
Warranty	Limited Warranty	2-year limited warranty. For support, visit https://support.reolink.com/hc/en-us/

Best Companion



PoE Injector



microSD Card



Ethernet Cable



Waterproof Lid



RLA-POECS1
(Combiner & Splitter)



Junction Box B10

Download Free Reolink App & Client

Learn more: <https://reolink.com/software-and-manual/>



Terms and Privacy

Use of the product is subject to your agreement to the Terms of Service and Privacy Policy at reolink.com. Keep out of reach of children.

Limited Warranty

This product comes with a 2-year limited warranty. Learn more: <https://reolink.com/warranty-and-return/>